

# ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b> Product Name CAS No. EC No. REACH Registration No.	n-Butyl Acetate 123-86-4 204-658-1
-	bstance or mixture and uses advised against PC21 Laboratory chemicals Not known. y data sheet
Company Identification Address of Manufacturer	Rathburn Chemicals Ltd 6 Caberston Road Walkerburn Peeblesshire Scotland
Postal code Telephone: E-mail Office hours Supplier	EH43 6AU 00 (44) (0) 1 896 870 651 sales@rathburn.co.uk 09:00 – 17:00
Company Identification Address of Supplier	Rathburn Chemicals Ltd 6 Caberston Road Walkerburn Peeblesshire Scotland
Postal code Telephone: E-mail Office hours	EH43 6AU 00 (44) (0) 1 896 870 651 sales@rathburn.co.uk 09:00 – 17:00
<b>1.4 Emergency telephone number</b> Emergency Phone No.	00 (44) (0) 1 896 870 651 or 00 (44) (0) 7807 520501
Contact	Roddy Stoddart.
Contact	TION
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or	TION mixture Flam. Liq. 3 :Flammable liquid and vapour. STOT SE 3 :May cause drowsiness or dizziness.
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or Regulation (EC) No. 1272/2008 (CLP)	TION mixture Flam. Liq. 3 :Flammable liquid and vapour.
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements	TION mixture Flam. Liq. 3 :Flammable liquid and vapour. STOT SE 3 :May cause drowsiness or dizziness. According to Regulation (EC) No. 1272/2008 (CLP)
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	TION mixture Flam. Liq. 3 :Flammable liquid and vapour. STOT SE 3 :May cause drowsiness or dizziness. According to Regulation (EC) No. 1272/2008 (CLP)
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name	TION mixture Flam. Liq. 3 :Flammable liquid and vapour. STOT SE 3 :May cause drowsiness or dizziness. According to Regulation (EC) No. 1272/2008 (CLP) n-Butyl Acetate
Contact 2. SECTION 2: HAZARDS IDENTIFICA 2.1 Classification of the substance or Regulation (EC) No. 1272/2008 (CLP) 2.2 Label elements Product Name Hazard Pictogram(s)	TION mixture Flam. Liq. 3 :Flammable liquid and vapour. STOT SE 3 :May cause drowsiness or dizziness. According to Regulation (EC) No. 1272/2008 (CLP) n-Butyl Acetate ightharpoonup GHS02 ightharpoonup GHS07



# 2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
n-butyl acetate	123-86-4	204-658-1		Flam. Liq. 3 H226 STOT SE 3 H336	GHS02 GHS07

#### 3.2 Mixtures

Not applicable.

4. SECTION 4: FIRST AID MEASURES	
4.1 Description of first aid measures Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact Eye Contact Ingestion	Take off immediately all contaminated clothing. Rinse skin with water. Treat symptomatically. Treat symptomatically.
4.2 Most important symptoms and effe	ects, both acute and delayed
	None anticipated. Treat symptomatically.
4.3 Indication of any immediate medic	al attention and special treatment needed Call a POISON CENTER/doctor if you feel unwell. Unlikely to be required but if necessary treat symptomatically.
5. SECTION 5: FIREFIGHTING MEASU	RES
<ul> <li>5.1 Extinguishing media</li> <li>Suitable Extinguishing media</li> <li>Unsuitable extinguishing media</li> <li>5.2 Special hazards arising from the second second</li></ul>	Flammable liquid and vapour. Combustion or thermal decomposition will evolve
F.O. Ashring for firstland to a	toxic and irritant vapours.
5.3 Advice for firefighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.
6. SECTION 6: ACCIDENTAL RELEASE	MEASURES
6.1 Personal precautions, protective e	<b>quipment and emergency procedures</b> Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.
6.2 Environmental precautions	Spillages or uncontrolled discharges into watercourses must be alerted to the
	appropriate regulatory body.
6.3 Methods and material for containm	
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.
6.4 Reference to other sections	See Also Section 8, 13.
7. SECTION 7: HANDLING AND STORA	GE

7.1 Precautions for safe handling



	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.		
	No smoking. Keep container tightly closed. Use explosion-proof		
	electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to		
	prevent static discharges. Wear protective gloves/protective clothing/eye		
	protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use		
only outdoors or in a well-ventilated area.			
7.2 Conditions for safe storage, inclu	ding any incompatibilities		
	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store		
	locked up.		
Storage temperature	Ambient.		
Storage life	Stable under normal conditions.		
Incompatible materials	None known.		
7.3 Specific end use(s)			
,	PC21 Laboratory chemicals		

# 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA j	opm) LTEL (8 hr TWA mg/m	<sup>3</sup> ) STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Butyl acetate	123-86-4	150	724	200	966	
Region EU United Kingdom	Source EU Occupational Exposure Limits UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)					
Remark	Notes					
	ate engineering	intrinsically	parking ventilation systems, ap y safe electrical systems. Ensur			and
8.2.2. Persona	I protection equi					
	Eye Protection	Wear eye	Wear eye protection with side protection (EN166).			
	Skin protection	Wear prot	Wear protective clothing and gloves: Impervious gloves (EN 374).			
	Respiratory pro		Normally no personal respiratory protection is necessary. Handling of larger amounts A suitable mask with filter type A (EN14387 or EN405) may be appropria			opriate.
	Thermal hazard	ls None knov	wn.			
8.2.3. Environn	nental Exposure	Controls Avoid rele	ase to the environment.			

#### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties Appearance Liquid.

Appearance	Liqui
	Colo
Odour	spec
Odour threshold	Not k
рН	Not k
Melting point/freezing point	-76C

our : Colourless cific known. known. С



Initial boiling point and boiling range Flash Point	Not known. 25C
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Upper 7.6% (V), Lower 1.7% (V).
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	0.88g/ml
Relative density	Not known.
Solubility(ies)	Solubility (Water) : 7g/l
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	415C
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not known.
Oxidising properties	Not known.
9.2 Other information	

None.

# 10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	
	-	None anticipated.
10.2	Chemical Stability	
		Stable under normal conditions.
10.3	Possibility of hazardous reactions	
		No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	
		Avoid friction, sparks, or other means of ignition.
10.5	Incompatible materials	
		Not known.
10.6	Hazardous decomposition produc	ts
		No hazardous decomposition products known.

# 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

in the manual of the control of the second group of the	
Acute toxicity - Ingestion	Low acute toxicity
Acute toxicity - Skin Contact	Low acute toxicity
Acute toxicity - Inhalation	
	H336: May cause drowsiness or dizziness.
Skin corrosion/irritation	Non-irritant
Serious eye damage/irritation	Non-irritant
Skin sensitization data	Not classified
Respiratory sensitization data	Not classified
Germ cell mutagenicity	There is no evidence of mutagenic potential.
Carcinogenicity	No evidence of carcinogenicity.
Reproductive toxicity	Not classified
Lactation	Not classified
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
11.2 Other information	
	Not known.

# 12. SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity - Aquatic invertebrates Toxicity - Fish Toxicity - Algae Low toxicity to invertebrates. Low toxicity to fish. Low toxicity to algae.



Toxicity - Sediment Compartment	Not classified.
, ,	
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and Degradation	
	Not known.
12.3 Bioaccumulative potential	
	Not known.
12.4 Mobility in soil	
	Not known.
12.5 Results of PBT and vPvB assess	ment
	Not known.
40.C. Other advance offects	
12.6 Other adverse effects	<b>N</b>
	Not known.
13. SECTION 13: DISPOSAL CONSIDE	RATIONS
13.1 Waste treatment methods	
	Dispose of contents in accordance with local, state or national legislation. Recycle
	only completely emptied packaging. Containers must not be punctured or destroyed
	by burning, even when empty. Do not allow to enter drains, sewers or
	watercourses. Do NOT landfill. Normal disposal is via incineration operated by an
	accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator.
	Dispose at suitable refuse site.
12.2 Additional Information	טוארטיב מו שעוומטוב ובועשב שווב.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

# 14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number	
UN No.	1123
14.2 UN proper shipping name	
UN proper shipping name	BUTYL ACETATES
14.3 Transport hazard class(es)	
ADR/RID Class	3
IMDG Class	3
IMDG EMS	F-E, S-D
ICAO/IATA	
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited	Y341
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	1L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	353
Instructions	
Passenger and Cargo Aircraft Max net	5L
Qty	
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60L
Special Provisions	A3
Emergency Response Guidebook (ERG)	3L
Code	
ADR Classification Code	F1
ADR HIN	33
ADR Transport Category	2
Tunnel Restriction Code	D/E
Emergency Action Code	3YE
APP Advice on Additional Personal	
Protection (APP)	
14.4 Packing group	
Packing group	11
Labels	3





Special Provisions	
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages Special Packing Provisions for Packages	P001 IBC02 R001
Mixed Packing Instructions for Packages	MP19
14.5 Environmental hazards	
Environmental hazards	Not classified as a Marine Pollutant.
14.6 Special precautions for user	
Special precautions for user	Not known.
14.7 Transport in bulk according to Ar	•
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
Special Provisions for Carriage -	
Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading,	
Unloading and Handling	
Special Provisions for Carriage -	S2 S20
Operation	

# 15. SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use Candidate List of Substances of Very Not listed High Concern for Authorisation REACH: ANNEX XIV list of substances Not listed subject to authorisation REACH: Annex XVII Restrictions on the n-butyl acetate (123-86-4) manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Community Rolling Action Plan (CoRAP) Not listed Regulation (EC) N° 850/2004 of the Not listed European Parliament and of the Council on persistent organic pollutants Regulation (EC) Nº 1005/2009 on Not listed substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the Not listed European Parliament and of the Council concerning the export and import of hazardous chemicals National regulations Other Not known. 15.2 Chemical Safety Assessment A REACH chemical safety assessment has not been carried out.

#### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

Hazard Pictogram(s)





SAFETY DATA SHEET



Hazard classification	Flam. Liq. 3 : Flammable liquid, Category 3 STOT SE 3_H336 : Specific target organ toxicity — single exposure, Category 3
Hazard Statement(s)	H226: Flammable liquid and vapour. H336: May cause drowsiness or dizziness.
	EUH066: Repeated exposure may cause skin dryness or cracking.
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed.
	P240: Ground and bond container and receiving equipment.
	P241: Use explosion-proof electrical/ventilating/lighting/equipment.
	P242: Use non-sparking tools.
	P243: Take action to prevent static discharges.
	P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call a POISON CENTER/doctor if you feel unwell.
	P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to
	extinguish. P403+P233: Store in a well-ventilated place. Keep container tightly closed.
	P403+P235: Store in a well-ventilated place. Keep cool.
	P405: Store locked up.
	P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container
	ICAO : International Civil Aviation Organization
	IMDG : International Maritime Dangerous Goods
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	UN : United Nations vPvB : very Persistent and very Bioaccumulative
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rathburn Chemicals
	Ltd gives no warranty as to the fitness of the product for any particular purpose and
	any implied warranty or condition (statutory or otherwise) is excluded except to the
	extent that exclusion is prevented by law. Rathburn Chemicals Ltd accepts no liability
	for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.
	מחטבר ד מנכוונס, כטףצווצווג מוע בסוצווס גמוווטג של מסטווופע.